

ADDENDUM NO. 4– OSHPD ITEM 1 – EDITORIAL CORRECTIONS  
PAGE 13 OF THE MAY 2000 MONOGRAPH

ITEM 1                      APPROVED As Amended  
OSHPD 9/99                      per Comment 1 of  
   the December 1999  
   Monograph, page 3

PART 1, CHAPTER 7

**AMEND AS FOLLOWS VARIOUS SECTIONS  
COMMENCING WITH 7-101, 7-141, 7-151 AND  
VARIOUS SECTIONS:**

**ADMINISTRATIVE REGULATIONS FOR  
THE OFFICE OF STATEWIDE HEALTH  
PLANNING AND DEVELOPMENT  
(OSHPD) HOSPITAL BUILDING SAFETY**

**CHAPTER 7. SAFETY STANDARDS FOR  
HEALTH FACILITIES**

**Article 19. Certification and Approval of  
Hospitals Inspectors**

**7-152. Supplantation of an Architect,  
Engineer or Inspector of Record, Special  
Inspector or Contractor.**

(a) When supplanting any of the listed individuals  
the following shall be submitted to the Office:

(1) Prior to plan approval

(A) Revised application(s) listing the new  
responsible individual(s).

(2) Following plan approval

(A) Revised application(s) listing the new  
responsible individual(s)

(B) An initial report, prepared by the  
supplanted individual(s), based on field  
observation(s) that the work performed and  
materials used and installed to date are in  
accordance with the project's approved  
plans and specifications. Any observed  
issues of non-conformance shall be listed in  
the report. The supplanting individual(s)  
shall be responsible for verification of project  
compliance, pursuant to Section 7-151, for  
the remainder of the project.

***The use of the word "supplanting" in  
this section is grammatically  
incorrect. The correct word is  
"supplanted".***

(C) A final verified report from the  
supplanted individual(s).

EXCEPTION TO (C): In the event that the  
supplanted individual refuses to, or cannot  
provide a final verified report the owner shall  
submit a letter to the office verifying that the  
work performed and materials used and  
installed are in accordance with the project's  
approved plans and specifications. The  
letter shall also list the reason the verified  
report could not be obtained.

NOTE: Authority cited: Section 127015 and  
129850, Health and Safety Code. Reference:  
Sections 129675-129998, Health and Safety  
Code.